



WHF- 87 ICU BED (MOTORISED)

OVERALL SIZE :

Length : 1982 mm Min. Height : 450 mm

Width : 915 mm Max. Height : 780 mm

Features :

60mm x 30mm CRCA tubular framework

Four section perforated CRCA top.

Height adjustment, Backrest, Kneerest, Trendelenburg & R T, Electrically operated by Handset.

CPR function, Nurse Control Box and Battery Back-up.

Removable ABS Head & Leg Bows.

Split type – 4 pieces ABS railing

SS Telescopic Saline Rod.

Diagonal locking castors -125 mm with brake arrangement.

Four side corner buffers

Urine Bag Holder

Pre-treated & Epoxy powder coated


OPTIONAL ACCESSORIES :

a) Foam mattress with rexine cover Code No.: WHF 133
100mm thickness in four pieces –

b) Bed extension facility Code No.: WHF 134

c) Central locking castors 125 mm – Code No.: WHF 135C

d) S.S. Heavy duty Infusion Pole – Code No.: WHF 138





COMFORT SERIES FOWLER MOTORISED BED




WHF- 88 FOWLER BED (MOTORISED)

OVERALL SIZE :

Length : 1905 mm
Width : 838 mm
Height : 600 mm
Frame : 60 mm x 30mm, CRCA Rectangular Tube.
Four section - back rest and knee rest, electrically operated by handset.
Detachable ABS Head & leg bows.
4 flush I.V. rod locations.
Pre-treated and epoxy powder coated.

OPTIONAL ACCESSORIES

- | | |
|---|--------------------|
| a) S.S. Bows | Code No.: WHF 121 |
| b) S.S. I.V. Rod | Code No.: WHF 111 |
| c) Urine Bag holder | Code No.: WHF 112 |
| d) S.S. Telescopic I.V. Rod | Code No.: WHF 120 |
| e) M.S. Collapsible side rails | Code No.: WHF 118 |
| f) S.S. Collapsible side rails | Code No.: WHF 119 |
| g) Crib attachment | Code No.: WHF 114 |
| h) Chart holder | Code No.: WHF 127 |
| I) Aluminium side rails | Code No.: WHF 123 |
| j) Castors 125 mm dia with brake arrangement. | Code No.: WHF 135 |
| k) Foam mattress rexine cover 100mm thickness in four pieces. | Code No.: WHF 137B |



WHF- 89 SEMI FOWLER BED (MOTORISED)

OVERALL SIZE :

Length : 1905 mm
Width : 838 mm
Height : 600 mm
Frame : 60 mm x 30mm, CRCA Rectangular Tube.
Two section perforated CRCA sheet top.
Backrest electrically operated by handset.
Detachable ABS Head & leg bows.
4 flush I.V. rod locations
Pre-treated and epoxy powder coated.

OPTIONAL ACCESSORIES

- | | |
|---|--------------------|
| a) S.S. Bows | Code No.: WHF 121 |
| b) S.S. I.V. Rod | Code No.: WHF 111 |
| c) Urine Bag holder | Code No.: WHF 112 |
| d) S.S. Telescopic I.V. Rod | Code No.: WHF 120 |
| e) M.S. Collapsible side rails | Code No.: WHF 118 |
| f) S.S. Collapsible side rails | Code No.: WHF 119 |
| g) Crib attachment | Code No.: WHF 114 |
| h) Chart holder | Code No.: WHF 127 |
| I) Aluminium side rails | Code No.: WHF 123 |
| j) Castors 125 mm dia with brake arrangement. | Code No.: WHF 135 |
| k) Foam mattress rexine cover 100mm thickness in two piece. | Code No.: WHF 137A |



WHF-1 HOSPITAL BED Sheet Construction

OVERALL SIZE :

Length : 1905 mm
Width : 838 mm
Height : 600 mm
Perforated CRCA Sheet Top.
Head bows : 1055 mm H,
Foot bows : 800 mm H.
Bows with one horizontal & three vertical tubular support. 4 flush I.V. rod locations.
Pre treated & epoxy powder coated.

OPTIONAL ACCESSORIES :

- | | |
|-------------------------------|-------------------|
| a) S.S. I.V. rod | Code No.: WHF 111 |
| b) Urine bag holder | Code No.: WHF 112 |
| c) Crib attachment | Code No.: WHF 114 |
| d) Chart holder | Code No.: WHF 127 |
| e) Foam mattress rexine cover | Code No.: WHF 137 |
- 100mm thickness in one piece.



WHF-2 HOSPITAL BED Rectangular Pipe Construction

OVERALL SIZE :

Length : 1905 mm
Width : 838 mm
Height : 600 mm
Frame : 60 mm x 30 mm
CRCA Rectangular Tube
Perforated CRCA Sheet Top.
Detachable 32 mm dia M.S. bows
4 flush I.V. rod locations
Pre treated & epoxy powder coated.

OPTIONAL ACCESSORIES :

- | | |
|--------------------------------|-------------------|
| a) S.S. I.V. rod | Code No.: WHF 111 |
| b) S.S. Bows | Code No.: WHF 121 |
| c) Urine bag holder | Code No.: WHF 112 |
| d) M.S. Collapsible side rails | Code No.: WHF 118 |
| e) Aluminium siderails | Code No.: WHF 123 |
| f) Chart holder | Code No.: WHF 127 |
| g) Foam mattress rexine cover | Code No.: WHF 137 |
- 100mm thickness in one piece.



WHF-3 HOSPITAL BED With Manual Backrest

OVERALL SIZE :

Length : 1905 mm
Width : 838 mm
Height : 600 mm
Frame : 60 mm x 30 mm
Two section CRCA Rectangular Tube
Perforated CRCA Sheet Top.
Manually operated, 5 position back-rest on ratchet.
Detachable 32 mm dia M.S. bows
4 flush I.V. rod locations
Pre treated & epoxy powder coated.

OPTIONAL ACCESSORIES :

- | | |
|--------------------------------|--------------------|
| a) S.S. I.V. rod | Code No.: WHF 111 |
| b) S.S. Bows | Code No.: WHF 121 |
| c) Urine bag holder | Code No.: WHF 112 |
| d) M.S. Collapsible side rails | Code No.: WHF 118 |
| e) Aluminium side rails | Code No.: WHF 123 |
| f) Crib attachment | Code No.: WHF 114 |
| g) Chart holder | Code No.: WHF 127 |
| h) Foam mattress rexine cover | Code No.: WHF 137A |
- 100mm thickness in two piece.





WHF-4 MATERNITY BED With Crib

OVERALL SIZE :

Length : 1905 mm
Width : 838 mm
Height : 600 mm
Frame : 60 mm x 30 mm
Perforated CRCA Sheet Top.
Detachable 32 mm dia M.S. bows at head end.
The legs end has hooks to support the removable cradle.

Cradle size:

635mm L x 304mm W x 254mm H
4 flush I.V. rod locations
Pre treated & epoxy powder coated.

OPTIONAL ACCESSORIES :

- | | |
|--------------------------------|-------------------|
| a) S.S. I.V. rod | Code No.: WHF 111 |
| b) S.S. Bows | Code No.: WHF 121 |
| c) Urine bag holder | Code No.: WHF 112 |
| d) M.S. Collapsible side rails | Code No.: WHF 118 |
| e) Aluminium side rail | Code No.: WHF 123 |
| f) Crib attachment | Code No.: WHF 114 |
| g) Chart holder | Code No.: WHF 127 |
| h) Foam mattress rexine cover | Code No.: WHF 137 |
| 100mm thickness in one piece. | |



WHF-5 SEMI FOWLER BED

OVERALL SIZE :

Length : 1905 mm
Width : 838 mm
Height : 600 mm
Frame : 60 mm x 30 mm
Two Section Perforated CRCA Sheet Top.
Back rest operated by screw with folding handle.
Detachable 32 mm dia M.S. bows
4 flush I.V. rod locations
Pre treated & epoxy powder coated.

OPTIONAL ACCESSORIES :

- | | |
|--------------------------------|--------------------|
| a) S.S. I.V. rod | Code No.: WHF 111 |
| b) S.S. Bows | Code No.: WHF 121 |
| c) Urine bag holder | Code No.: WHF 112 |
| d) S.S. Telescopic I.V. Rod | Code No.: WHF 120 |
| e) M.S. Collapsible side rails | Code No.: WHF 118 |
| f) S.S. Collapsible side rails | Code No.: WHF 119 |
| g) Crib attachment | Code No.: WHF 114 |
| h) Chart holder | Code No.: WHF 127 |
| i) Foam mattress rexine cover | Code No.: WHF 137A |
| 100mm thickness in two pieces. | |

WHF-6 FOWLER BED

OVERALL SIZE :

Length : 1981 mm
Width : 838 mm
Height : 600 mm
Frame : 60 mm x 30 mm
Two section CRCA Rectangular Tube
Perforated CRCA Sheet Top.
Four section back-rest & Knee rest operated by screw with folding handles.
Detachable 32 mm dia M.S. bows
4 flush I.V. rod locations
Pre treated & epoxy powder coated.

OPTIONAL ACCESSORIES :

- | | |
|--|--------------------|
| a) S.S. I.V. rod | Code No.: WHF 111 |
| b) S.S. Bows | Code No.: WHF 121 |
| c) Urine bag holder | Code No.: WHF 112 |
| d) S.S. Telescopic I.V. Rod | Code No.: WHF 120 |
| e) M.S. Collapsible side rails | Code No.: WHF 118 |
| f) S.S. Collapsible side rails | Code No.: WHF 119 |
| g) Crib attachment | Code No.: WHF 114 |
| h) Chart holder | Code No.: WHF 127 |
| i) Castors 125 mm dia with
brake arrangement. | Code No.: WHF 135 |
| j) Foam mattress rexine cover | Code No.: WHF 137B |
| 100mm thickness in four pieces. | |





WHF-10 PAEDIATRIC BED

OVERALL SIZE :

Length : 1525 mm
 Width : 610 mm
 Height : 600 mm
 Frame : CRCA sheet top construction.
 Head & leg Bow height 1050mm, made out of 32 mm CRCA tubes side fitting.
 4 flush I.V Rod locations.
 Full length M.S. drop down railings of 16 mm height on both sides.
 Pre-treated Epoxy Powder coated.

OPTIONAL ACCESSORIES :

- | | |
|------------------------------------|-------------------|
| a) S.S. I.V. rod | Code No.: WHF 111 |
| b) Urine bag holder | Code No.: WHF 112 |
| c) Foam mattress with rexine cover | Code No.:WHF 137 |
| 100mm thickness in one piece. | |



WHF-7 RECOVERY BED

OVERALL SIZE :

Length : 1905 mm
 Width : 838 mm
 Height : 600 mm

Frame : 60 mm x 30 mm, CRCA Rectangular Tube. Two section perforated CRCA sheet top
 Two separate screw for back rest, trendelenburg & reverse trendelenburg position by individual SS folding handles.
 Detachable 32mm dia M.S.bows.
 125 mm dia heavy duty castors, two with brake.
 4 flush I.V. rod locations.
 Pre-treated and epoxy powder coated.

OPTIONAL ACCESSORIES :

- | | |
|------------------------------------|-------------------|
| a) S.S. I.V. Rod | Code No.: WHF 111 |
| b) S.S. Bows | Code No.: WHF 121 |
| c) Urine bag holder | Code No.: WHF 112 |
| d) M.S. Collapsible side rails | Code No.: WHF 114 |
| e) S.S. Collapsible side rails | Code No.: WHF 119 |
| f) Aluminium side rails | Code No.: WHF 123 |
| g) Chart holder | Code No.: WHF 127 |
| h) S.S. Telescopic I.V. Rod | Code No.: WHF 120 |
| i) Foam mattress with rexine cover | Code No.:WHF 137A |
| 100mm thickness in two pieces. | |



WHF-8 ICU BED

OVERALL SIZE :

Length : 1905 mm
Width : 838 mm
Height : 600 mm
Frame : 60 mm x 30 mm, CRCA Rectangular Tube.
Four section perforated CRCA sheet top.
3 separate screws for back rest, knee rest, trendelenburg & reverse trendelenburg positions by attached folding handles.
Detachable 32 mm dia M.S. bows
125 mm dia heavy duty castors, two with brakes
4 flush I.V. rod locations
Pre-treated and epoxy powder coated.

OPTIONAL ACCESSORIES :

- | | |
|------------------------------------|--------------------|
| a) S.S. I.V. Rod | Code No.: WHF 111 |
| b) S.S. Bows | Code No.: WHF 121 |
| c) Urine bag holder | Code No.: WHF 112 |
| d) S.S. Telescopic I.V. Rod | Code No.: WHF 120 |
| e) M.S. Collapsible side rails | Code No.: WHF 118 |
| f) S.S. Collapsible side rails | Code No.: WHF 119 |
| g) Aluminium side rails | Code No.: WHF 123 |
| h) ABS Head & leg bows | Code No.: WHF 122 |
| i) S.S. Bows with Laminated Panel | Code No.: WHF121B |
| j) Foam mattress with rexine cover | Code No.: WHF 137B |
- 100mm thickness in four pieces.



WHF-9 ICU BED

OVERALL SIZE : (Approx)

Length : 1905 mm
Width : 838 mm
Height : 630/850 mm
Frame : 60 mm x 30mm, CRCA rectangular Tube.
Four section perforated CRCA sheet top.
Four separate screws for back rest, knee rest, trendelenburg & reverse trendelenburg and height adjustment by individual PU Molded folding handles.
Rubber buffers on all corners. Detachable 32mm dia SS bows. 125 mm dia heavy duty castors, 2 with brakes.
4 flush IV rod locations.

WITH MATTRESS



OPTIONAL ACCESSORIES :

- | | |
|------------------------------------|--------------------|
| a) S.S. I.V. Rod | Code No.: WHF 111 |
| b) Urine Bag holder | Code No.: WHF 112 |
| c) S.S. Telescopic I.V. Rod | Code No.: WHF 120 |
| d) M.S. Collapsible side rails | Code No.: WHF 118 |
| e) S.S. Collapsible side rails | Code No.: WHF 119 |
| f) Aluminium side rails | Code No.: WHF 123 |
| g) ABS Head & leg bows | Code No.: WHF 122 |
| h) S.S. Bows with Laminated Panel | Code No.: WHF121B |
| i) ABS Top | Code No.: WHF 124 |
| j) ABS - 4 piece side rails | Code No.: WHF 125 |
| k) Foam mattress with rexine cover | Code No.: WHF 137B |
- 100mm thickness in four pieces.





WHF-27 FOOD TROLLEY

OVERALL SIZE :

Length : 800 x 355 mm

Height : 790 min. -1035 max

Frame Size : 609mm x 381mm

Adjustable Height Operated by Gas spring Mechanism

Mounted on 50mm twin dual castors.

Pre-treated and epoxy powder coated.

WHF-49 EMERGENCY CRASH CART

OVER ALL SIZE

Length : 840 mm

Depth : 400 mm

Height : 1640 mm

S.S. Square tube frame.

Top tray for monitor and pulse oxymeter,


Six removable bins.

Two modular storage units of three drawers each

one with lock. Castors 125 mm, 2 with brake.

Oxygen cylinder holder, I V Rod, Cardiac

massage board provided.



WHF-28 FOOD TABLE SS

OVERALL SIZE :

Width : 610 mm

Length : 380 mm

Height : 265 mm

Frame work of S/S sheet & tubes.



WHF-14 BED SIDE LOCKER SS Top

OVERALL SIZE : (Aprox.)

Width : 345 mm
Depth : 300 mm
Height : 800 mm

Stainless steel top with 3 sides raised and front turned down Railings on 3 sides above main cabinet. Magnetic latch on door CRCA sheet box mounted on 20 mm x 20 mm sq. tube frames Pre-treated and epoxy powder coated.



WHF-15 BED SIDE LOCKER Trolley Model

OVERALL SIZE :

Width : 480 mm
Depth : 345 mm
Height : 840 mm

CRCA Sheet box mounted on 20 mm x 20 mm sq tube frames. Stainless Steel Top with 3 sides raised & front turned down. Provision for patient records provided at rear portion of locker box. Magnetic latch on door. Mounted on 50 mm dia twin dual castors. Pre-treated & epoxy powder coated.



WHF-16 BED SIDE LOCKER SS Delux

OVERALL SIZE :

Width : 400 mm
Depth : 395 mm
Height : 800 mm

CRCA sheet main cabinet and a drawer Mounted on 50 mm dia twin dual castors. Magnetic latch on door. Stainless steel top with 3 sides raised and front turned down

Pre-treated and epoxy powder coated.

WHF-16A BED SIDE LOCKER WITH MEMBRANE TOP

OVERALL SIZE :

Width : 400 mm
Depth : 400 mm
Height : 800 mm

CRCA sheet main cabinet and a drawer Mounted on 50 mm dia twin dual castors. Magnetic latch on door.

The top, the drawer and the cabinet door are made of Membrane.

Pre-treated and epoxy powder coated.





WARD EQUIPMENTS



WHF-21 BED SIDE SCREEN

OVERALL SIZE :

Open/Closed : 2360 mm /1200 mm
Width : 550 mm
Height : 1730 mm

CRCA tubular structure mounted on 50mm dia twin dual castors Two sides folding.
Pretreated & epoxy powder coated



WHF-22 SALINE STAND

OVERALL SIZE :

Height adjustable from 1370mm minimum to 2435mm maximum.
Pretreated & epoxy powder coated

* Also available in complete S.S.



WHF-24 WASH BASIN SINGLE

OVERALL SIZE :

Dia : 304 mm
Height : 812 mm

The frame is made out of 25 mm CRCA tubes 304 mm dia ring with S.S. basin is provided at the top.

The stand is mounted on 50mm twin dual castor. Pretreated and epoxy powder coated.

* Also available in complete S.S.

* Wash Basin (Double) Also Available



WHF-23 OXYGEN CYLINDER TROLLEY

A) Jumbo push type with two wheels of 100mm dia.

B) Push type with two wheels 100mm dia.

Pretreated & Epoxy powder coated



WHF-26 SOILED LINEN TROLLEY

OVERALL SIZE :

Width : 390 mm
Dia : 500 mm
Height : 980 mm

Tubular EPC frame mounted on 50 mm dia twin dual castors. Canvas bag provided.

* Also available in complete S.S.

WHF-46 WARD DRESSING WAGON

OVERALL SIZE :

Length : 1080 mm
Width : 490 mm
Height : 840 mm

Frame : 25mm x 25mm SS square tube frame
Two SS shelves with railing on top shelf.

Trolley mounted on 100 mm dia castors.

SS bowl 360 mm dia

SS Bucket 300 mm dia





WARD EQUIPMENTS



WHF-34 REVOLVING STOOL

OVERALL SIZE : (Approx)
 Top Dia : 300 mm
 Height : 510 -710 mm Adjustable
 Stainless steel top.
 Pre-treated and epoxy powder coated.
 * Also available in complete S.S.



WHF-25 ALL PURPOSE STOOL

OVERALL SIZE :
 Top Width: 280 mm
 Depth : 280 mm
 Height : 445 mm
 Frame: 25 x 25mm CRCA square tube.
 Pretreated & epoxy powder coated.
 * Also available with S/S Top.

WHF-35 DRUG TROLLEY

OVERALL SIZE A:
 Width : 355 mm
 Depth : 470 mm
 Height : 710 mm
 3 trays with top shelf of S.S. Mounted on 50mm dia twin dual castors.
 Pre-treated & epoxy coated.
 * Also available in complete S.S.



WHF-30 WHEEL CHAIR FIXED

OVERALL SIZE :
 Length : 685 mm
 Width : 1092 mm
 Height : 914 mm
 Frame work is made out of 25 mm dia CRCA tubes and fitted with CRCA sheet for seat and back rest. Provided with wooden hand rests and adjustable foot rests. Two solid rubber tyre bicycle wheels of 26" with brakes and self propelling hoops fixed on axle at the rear and at the front 150mm dia castors are provided.
 Chrome plated frame.
 * Also available in Full SS.



WHF-31 WHEEL CHAIR FOLDING

OVERALL SIZE :
 Open Size : 660 mm
 Folding Size : 280 mm
 Height : 800 mm
 Frame work is made out of SS chrome plated tubes and fitted with reinforced rexine cover for seat and back rest. Provided with padded hand rests and adjustable foot rests. Two solid rubber tyred bicycle wheels of 26" with brakes and self propelling hoops fixed on axle at the rear and at the front 150mm dia castors are provided
 Chrome plated frame.





WHF-18 STRETCHER TROLLEY

OVERALL SIZE :

Length : 2020 mm
Width : 590 mm
Height : 880 mm

Frame : 32 mm dia CRCA tube frame.
Detachable S.S top. Trolley mounted on 150mm dia heavy duty castors.
Pre-treated & epoxy powder coated.

OPTIONAL

- a) S.S I.V. Rod (Code No.: WHF 111)
- b) S.S Telescopic I.V. Rod (Code No.: WHF 120)
- c) Oxygen Cylinder holder (Code No.: WHF 128)
- d) 200mm dia heavy duty castors (Code No.: WHF 135E)

* Also available in MS. Top or complete S.S.



WHF-19 STRETCHER TROLLEY Both side folding SS Top

OVERALL SIZE :

Length : 2030 mm
Width : 610 mm
Height : 870 mm

Frame : 50mm x 25mm, CRCA rectangular tube frame.
Both side Folding stainless steel top fixed on CRCA tube frame. Mounted on 150 mm dia heavy duty castors.

OPTIONAL

200 mm heavy duty castors (Code No.: WHF 135E)

Pre-treated & epoxy powder coated.

* Also available in complete S.S.



WHF-20 CANVAS STRETCHER FOLDING

OVERALL SIZE : (Approx.)

Length : 2130 mm
Width : 558 mm

Thick canvas is covered with Rexine on 32 mm dia CRCA tube Provided with folding and locking arrangement. Stretcher has 4 studs at corners to avoid contact with floor.
Pretreated & epoxy powder coated.





CASUALTY TROLLEY



WHF-29 CASUALTY TROLLEY

OVERALL SIZE : (Approx.)

Length : 1981 mm
Width : 558 mm
Height : 550-812 mm

Trolley with X-Ray permiable detachable stretcher top with S.S. X-Ray Cassette Holder. Trendelenberg and reserve trendelenberg positions with screw mechanism. The backrest is raised by means of ratchet mechanism / Telescopic IV rod, swing away railing on both sides and Oxygen Cylinder cage, 125mm heavy duty castors, 2 with brakes are provided. The height is adjustable by means of Hydraulic pump mechanism.
Pretreated & epoxy powder coated.

* Also available with manual height adjustment by screw mechanism instead of Hydraulic pump.



EXAMINATION EQUIPMENT

WHF-32 EXAMINATION CUM GYNAEC TABLE

OVERALL SIZE :

Length : 1830 mm
Width : 558 mm
Height : 812 mm

Frame work of CRCA sheets & CRCA tubes.
The Head section can be raised or lowered with ratchet mechanism.

Pre-treated and epoxy powder coated.

* Examination Table also available



WHF-33 EXAMINATION COUCH / GYNAEC COUCH

OVERALL SIZE :

Length : 1835 mm
Width : 585 mm
Height : 850 mm

Frame : CRCA Sheets & Rectangular Tubes.

Three cabinets, one with lock, one drawer with lock, Sliding Writing Pad.

Pre-treated & epoxy powder coated.

OPTIONAL ACCESSORIES

- a) Step Stool Code No.: WHF 129
- b) Mattress 75 mm thick Code No.: WHF 130
width 15 mm plywood
- c) Adjustable B.P. Apparatus Stand.

WHF-38 SINGLE & DOUBLE FOOT STEPS

SINGLE FOOT STEPS DOUBLE FOOT STEPS

Length : 228 mm Length : 400 mm
Width : 355 mm Width : 355 mm
Height : 228 mm Height : 457 mm

The frame is made out of 25mm CRCA tubes with aluminium chequered strips.

Pre-treated and epoxy powder coated.





WHF-39 SIMS OT TABLE SS TOP

OVERALL SIZE :

Length : 1810 mm
Width : 510 mm
Height : 860 mm

Frame work of CRCA Sheet & Tubes in 3 section. Head side adjustable on ratchet. Trendelenburg & Reverse trendelenburg on screw mechanism. The top is of S.S. Provided with S/S lithotomy rod & bowl. Pretreated and epoxy powder coated.

OPTIONAL ACCESSORIES

Mattress 50mm thickness Code No. WHF-130

WHF-40 SIMS O. T. TABLE Height Adjustable SS Top

OVERALL SIZE :

Length : 1828 mm
Width : 558 mm
Height : 762 - 900 mm

Framework of CRCA tubes and CRCA sheet. Height adjustment & head high-low positions by means of a screw mechanism. 'U' notch is provided in the middle section. S/S sheet is provided on the top. S/S Lithotomy Rods are provided. Pretreated and epoxy powder coated.

OPTIONAL ACCESSORIES

- a) Step stool Code No.: WHF - 129
- b) S.S Telescopic I.V. Rod Code No.: WHF - 120
- c) Mattress 50mm thickness Code No.: WHF - 130
- d) Padded Lithotomy Crutches Code No.: WHF - 132

* Also available in complete S.S.



WHF-41 OBSTETRIC LABOUR TABLE (PLAIN)

OVERALL SIZE :

Length : 1830 mm
Width : 690 mm
Height : 878 mm

Frame work of CRCA sheet & tubes. "U" cut & S/S lithotomy rod is provided at the leg end. Pre-treated and epoxy powder coated.

OPTIONAL ACCESSORIES

Mattress 50mm thickness Code No. WHF - 130



WHF-42 OBSTETRIC LABOUR TABLE FOOT END FOLDING/ TELESCOPIC

OVERALL SIZE :

Length : 1850 mm
Width : 760 mm
Height : 770 mm

Frame: 60 mm x 30 mm Rectangular tube
Three Section S/S top. Backrest on ratchet, head low/up by screw mechanism. Middle section having "U" notch with bowl, foot end folding / Sliding foot end. Hand grips on both sides. S/S lithotomy rods provided.

OPTIONAL ACCESSORIES

- a) Step stool Code No.: WHF-129
- b) S.S Telescopic I.V. Rod Code No.: WHF-120
- c) Mattress 50mm thickness Code No.: WHF-130
- d) Padded Lithotomy Crutches Code No.: WHF-132
- e) S.S. Railing on 3 sides Code No.: WHF 115

* Also available in complete S.S.





WHF-48 ENDOSCOPY TROLLEY

OVERALL SIZE :

Width : 965 mm
Length : 680 mm
Height : 1450 mm

Adjustable 5 shelves, Mounted on 125 mm Dia. Heavy duty castors 2 with brakes.

Eight point electrical panel board with socket and switch. Co2 Cylinder cage.

* Also available in Powder Coated.



WHF-37 ANGLE POISE LAMP

Variable Angle Adjustment mounted on portable frame of CRCA tube Mounted on 50mm dia twin dual castors.



WHF-47 KICK BUCKET

SS bowl approx. 345mm dia
25mm Round tube frame
Mounted on 100 mm castors.



WHF-43 INSTRUMENT TROLLEY SS

OVERALL SIZE :

Length : 740 mm
Width : 490 mm
Height : 840 mm

Frame : 25m x 25m SS square tubes.
SS top and bottom shelves with railing on top shelf.

Trolley mounted on 100 mm castors.



WHF-45 DOUBLE BARREL MAYOS TROLLEY

OVERALL SIZE :

Length : 775 mm
Depth : 534 mm
Height : 860 mm to 1300 mm

Frame : SS rectangular & Square tube
Trolley mounted on 50mm dia dual castors.



WHF-44 MAYO TROLLEY SS

OVERALL SIZE :

Length : 560 mm
Depth : 425 mm
Height : 860 to 1300 mm

Frame : SS rectangular & Square tube
Trolley mounted on 50mm dia dual castors.



UTILITY PRODUCT



WHF-11 ATTENDANT CHAIR

OVERALL SIZE :

Length :
When Open : 1880mm
When Folded : 745mm
Width : 565mm
Frame : 32 Dia Tubler Frame and supported by 25Dia Tubular pipe
3Fold Mattress (Individual) 65mm thick.

WHF-12 ATTENDANT BED

OVERALL SIZE :

Length : 1676 mm
Width : 610 mm
Height : 457 mm
Frame : 50 mm x 25 mm

CRCA rectangular tube frame
Perforated CRCA Sheet top
Pre-treated and epoxy powder coated.



WHF-13 ATTENDANT BED with Head side Folding

OVERALL SIZE : (Aprox.)

Length : 1676 mm
Width : 610 mm
Height : 457 mm
Frame : 50 mm x 25 mm CRCA rectangular tube frame. Perforated CRCA sheet top divided into two section 1219mm & 457mm. The head section is foldable & operates on ratchet mechanism.
Pre-treated & epoxy powder coated.



WHF-50 INSTRUMENT CABINET

OVERALL SIZE :

Width : 610 mm
Depth : 355 mm
Height : 1525 mm

Frame : CRCA Rectangular tube & CRCA Sheet panels. Five shelves, door and two sides of 5mm thick fine glass.
Pre-treated & epoxy powder coated

*Also available in complete S.S.



WHF-36 X-RAY VIEW BOX

OVERALL SIZE A: DOUBLE

Width : 831 mm
Length : 457 mm
Height : 152 mm
Made out of CRCA sheet, 2mm thick milky white acrylic sheet which will give sufficient illumination to view the x-ray.
Pre-treated & epoxy powder coated.

OVERALL SIZE B: SINGLE

Width : 635 mm
Length : 457 mm
Height : 152 mm
Made out of CRCA sheet, 2mm thick milky white acrylic sheet which will give sufficient illumination to view the x-ray.
Pre-treated & epoxy powder coated.
* Also available in LED.